

ACCESSORYZERS™

Skyjack Head Office

55 Campbell Rd.
Guelph, ON Canada N1H 1B9
Sales Inquiries: 1-877-755-4387
(1-877-SJLIFTS)
Main Switchboard: 1-800-265-2738
Phone: 519-837-0888
Fax: 519-837-8104
Email: skyjack@skyjack.com

Skyjack Parts & Service

Skyjack Corp.
3451 Swenson Ave.
St. Charles, IL 60174 USA
Phone: 630-262-0005
Toll Free: 1-800-275-9522
Fax: 630-262-0006
Email: service@skyjack.com

www.skyjack.com



This brochure is for illustrative purpose only and based on the latest information at the time of printing.
Skyjack Inc. reserves the right to make changes at any time, without notice, to specifications, standard
and optional equipment. Consult the Operating, Maintenance, and Parts Manuals for proper procedures.

SKYJACK
simply reliable

SKYJACK
simply reliable



ACCESSORYZERS™

Having equipment with features and functions that allow you and your customers to do more is a vital part of a rental company's utilization equation. Skyjack offers a range of accessory products to further expand a given product's adaptability and your power to offer a truly flexible rental choice.

Accessoryzers™ is a Skyjack brand which covers factory certified attachments, options and accessories. These are developed, designed, and tested to increase productivity, improve working conditions, and minimize manual work.

ANSI /CSA configuration shown

PEAK PERFORMANCE

VERTICAL MAST / DC ELECTRIC SCISSORS

Skyjack's vertical mast and DC scissors offer easy to service, low maintenance designs in a compact and versatile package. Renowned for simplicity and reliability, they are used in applications where a straight vertical lift is required. Their slide-out deck extensions provide a larger work area and "up and over" capability. Each product has a standard configuration that can be augmented with additional options that take performance and versatility to new levels.

FLASHING LIGHTS

BIO OIL FULL OR HALF HEIGHT GATE

SALOON GATE HINGED RAILING SYSTEM

POWERED EXTENSION DECK

AGM BATTERIES HIGH CAPACITY BATTERIES

EXTENDED CONTROL BOX CABLE

AC INVERTER

VERTICAL MAST / DC ELECTRIC SCISSORS

FLASHING & DUAL FLASHING LIGHTS

Beacon type flashing lights positioned for maximum visibility and increased awareness to warn personnel of a working machine. Ideal in environments where the all motion alarm may be less audible.

SINGLE FLASHING LIGHT

Availability	DC Electric Scissors	
Models	SJIII 3215	SJIII 3219
	SJIII 3220	SJIII 3226
	SJIII 4626	SJIII 4632
	SJIII 4740	

DUAL FLASHING LIGHTS

Availability	Vertical Mast		DC Electric Scissors	
Models	SJ12	SJ16	SJIII 3215	SJIII 3219
			SJIII 3220	SJIII 3226
			SJIII 4626	SJIII 4632
			SJIII 4740	



VERTICAL MAST / DC ELECTRIC SCISSORS

EXTENDED CONTROL BOX CABLE

Allows the lift to be moved by personnel outside the platform. The detachable control box allows you to control the machine from the ground for easier loading or unloading from trailers and access through doorways.

Availability	DC Electric Scissors	
Models	SJIII 3215	SJIII 3219
	SJIII 3220	SJIII 3226
	SJIII 4626	SJIII 4632
	SJIII 4740	



HIGH CAPACITY BATTERIES

Improve your machine’s performance with increased efficiency and longer run time on a single charge by upgrading to the 220 Ah high capacity batteries.

Please note – cannot be combined with EE rating package

Availability	DC Electric Scissors	
Models	SJIII 3215	SJIII 3219
	SJIII 3220	SJIII 3226
	SJIII 4626	SJIII 4632



ABSORBENT GLASS MAT (AGM) BATTERIES

Save a step in overall maintenance by eliminating battery watering with the absorbent glass mat (AGM) maintenance-free batteries. AGM batteries reduce time and money spent on maintenance and battery replacements.




Availability	Vertical Mast	DC Electric Scissors	
Models	SJ12 SJ16	SJIII 3215	SJIII 3219
		SJIII 3220	SJIII 3226
		SJIII 4626	SJIII 4632
		SJIII 4740	

AC INVERTER

Changes the machines DC power to AC power at the platform, eliminating the need to plug the base plug into an external outlet.

Please note – cannot be combined with EE rating package

Availability	Vertical Mast		DC Electric Scissors	
Models	SJ12 SJ16		SJIII 3215	SJIII 3219
			SJIII 3220	SJIII 3226
			SJIII 4626	SJIII 4632
			SJIII 4740	



HINGED RAILING SYSTEM

Reduces machine’s stowed height for easier access in height restricted areas like doorways, elevators or even in transport.

Please note - not available in combination with full height platform entry

Availability	DC Electric Scissors		
Models	SJIII 3215	SJIII 3219	SJIII 3220



PLATFORM ENTRANCE OPTIONS

For quick entry and exit of the platform, Skyjack offers three different gate options.

FULL HEIGHT GATE

Availability	Vertical Mast		DC Electric Scissors	
Models	SJ12	SJ16	SJIII 3215	SJIII 3219
			SJIII 3220	SJIII 3226
			SJIII 4626	SJIII 4632
			SJIII 4740	

Please note - not available with hinged railing system on SJIII 32xx models

HALF HEIGHT GATE

Availability	DC Electric Scissors			
Models	SJIII 3215	SJIII 3219	SJIII 3220	
	SJIII 3226	SJIII 4626	SJIII 4632	

SALOON GATE

Availability	Vertical Mast	
Models	SJ12	SJ16



POWERED EXTENSION DECK

Allows the operator to extend the platform deck with ease and precision so that 6 ft (1.83 m) of additional workspace is available along with up-and-over reach.

Availability	DC Electric Scissors	
Models	SJIII 3220	SJIII 4626

Please note - Additional 250 lbs (113 kg) to machine weight. Overall platform capacity on the SJIII 3220 is reduced from 900 lbs (408 kg) to 800 lbs (363 kg).

PROFESSIONAL PRODUCTIVITY

VERTICAL MAST / DC ELECTRIC SCISSORS

Designed to provide the capability to carry out specific tasks, Skyjack has provided a series of factory approved attachments engineered to deliver increased productivity and improved working practices.



TOOL TRAY

BOARD/DRYWALL CARRIER

LIGHT DUTY PIPE AND STEEL STUD RACK

FLUORESCENT TUBE CARRIER


HEAVY DUTY PIPE RACK



VERTICAL MAST / DC ELECTRIC SCISSORS

TOOL TRAY

The tool tray for the vertical mast lifts is designed to keep your tools and components within arm's reach. The tool tray can be positioned in 3 locations illustrated below.



Tool tray positions

Availability	Vertical Mast
Models	SJ12 SJ16
Rated work load on tool tray	50 lb (23 kg)
Total rated work load including load on tool tray	500 lb (227 kg) / 1 Person



FLUORESCENT TUBE CARRIER

Fluorescent lights are fragile and can break if not handled properly. The fluorescent tube carrier features a rubber padded base and is also equipped with a buckle strap to secure and safely carry the fluorescent lights to their work location. The fluorescent tube carrier is mounted outside the platform to optimize work space and functionality.

Availability	Vertical Mast
Models	SJ12 SJ16
Rated work load on fluorescent tube carrier	50 lb (23 kg)
Total rated work load including load on fluorescent tube carrier	500 lb (227 kg) 1 Person


VERTICAL MAST / DC ELECTRIC SCISSORS



VERTICAL MAST / DC ELECTRIC SCISSORS

LIGHT DUTY PIPE AND STEEL STUD RACK

The pipe rack is an ideal aid for plumbers, electricians and maintenance workers, who want to organize platform materials without limiting machine movement within tight spaces. For securing a load, the pipe rack features a durable nylon strap with flat hook, while a stow able cradle permits travel through narrow doorways.



Availability	Vertical Mast
Models	SJ12 SJ16
Rated work load on pipe rack	110 lb (50 kg)

Total rated work load including load on pipe rack	500 lb (227 kg) 1 Person
---	-----------------------------

Please note - the maximum allowable pipe length is 10 ft. (3.05 m) with a maximum pipes' mass of 100 lb (50 kg)

VERTICAL MAST / DC ELECTRIC SCISSORS

DC LIGHT DUTY PIPE RACK

Available on SJIII scissor lifts, the pipe rack is an ideal aid for plumbers, electricians and maintenance workers, who want to organize platform materials without limiting machine movement within tight spaces.



Availability	DC Electric Scissors				
Model	SJIII 3215*	SJIII 3219*	SJIII 3220*	SJIII 4626‡	SJIII 4632‡
Rated work load on pipe rack	50 lb (23 kg)	50 lb (23 kg)	50 lb (23 kg)	100 lb (45 kg)	100 lb (45 kg)

Total rated work load including load on pipe rack	600 lb (272 kg) 2 Persons	550 lb (249 kg) 2 Persons	600 lb (272 kg) 2 Persons	600 lb (272 kg) 2 Persons	500 lb (227 kg) 2 Persons
---	------------------------------	------------------------------	------------------------------	------------------------------	------------------------------

*Pipe size cannot exceed 10 ft (3.05 m) long by 40 mm (4 cm) diameter and cannot be combined with the full height gate option
‡Pipe size cannot exceed 21 ft (6.40 m) long by 40 mm (4 cm) diameter

VERTICAL MAST / DC ELECTRIC SCISSORS




HEAVY DUTY PIPE RACK

For work applications where carrying capacity is critical, the heavy duty pipe rack is the ideal attachment for a safe and secure solution. The heavy duty pipe rack has a rated work load capacity of up to 445 lb (202 kg).

Availability	DC Electric Scissors					
Model	SJIII 3215*	SJIII 3219*	SJIII 3220‡	SJIII 3226‡	SJIII 4626‡	SJIII 4740‡
Rated work load on pipe rack	215 lb (98 kg)	215 lb (98 kg)	215 lb (98 kg)	75 lb (34 kg)	445 lb (202 kg)	148 lb (67 kg)
Platform total capacity including load on pipe rack	550 lb (250 kg) 1 Person	550 lb (250 kg) 1 Person	900 lb (408 kg) 2 Persons	500 lb (227 kg) 1 Person	1000 lb (454 kg) 2 Persons	500 lb (227 kg) 2 Persons

*Pipe size cannot exceed 10 ft (3.05 m) long by 4 in (10.20 cm) diameter
‡Pipe size cannot exceed 21 ft (6.40 m) long by 4 in (10.20 cm) diameter

VERTICAL MAST / DC ELECTRIC SCISSORS



BOARD/DRYWALL CARRIER

Easy to install, the board carrier is designed specifically for applications that require holding and lifting sheet materials. The board carrier makes lifting material easier, less strenuous and quicker while leaving the platform free for tools, and other light material.

The board carrier can support sheet sizes up to 4' x 8' x 0.5" (1.22 m x 2.44 m x 1.27 cm).

Availability	DC Electric Scissors			
Model	SJIII 3219	SJIII 3226	SJIII 4632	SJIII 4740
Rated work load on board carrier		100 lb (45 kg)		167 lb (76 kg)
Total rated work load including load on board carrier	300 lb (136 kg) 1 Person	300 lb (136 kg) 1 Person	500 lb (227 kg) 1 Person	500 lb (227 kg) 2 Persons

DEDICATED APPLICATIONS

DC ELECTRIC SCISSORS

A series of packaged options and accessories that combine to produce solutions to specific applications. Skyjack's application packages represent a whole that is greater than a sum of its parts providing solutions based on job or environmental requirements.



EE RATING
AIRCRAFT PROTECTION PACKAGE

DC ELECTRIC SCISSORS



EE RATING PACKAGE

The “EE” rating package conforms to the NORTH AMERICA.UL 583 Standard for electric battery powered industrial trucks. Provides protection in environments where ignitable concentrations of flammable gases, vapors, or liquids are present within the atmosphere under *abnormal* operating conditions.

- Sealed electrical panel
- Enclosed DC electric motor
- Enclosed lower control panel
- Static ground strips
- Boots for battery terminals
- Insulating pads for batteries
- On board battery charger (batteries must be charged in a non-hazardous environment)
- Appropriate “EE” decals
- Lockable battery tray
- 110V outlet on platform with GFI (to be used only in non-hazardous environment)
- Most electrical components are UL or CSA marked
- End of line testing for compliance

Classification: Skyjack scissor lifts equipped with “EE” Rating Package can be used in Class I, Division II, Group D locations as specified by the NFPA 505 Fire Safety Standard.

Please note - cannot be combined with the inverter, 250 Ah batteries or the DC motor controller option

Availability	DC Electric Scissors					
Models	SJIII 3215	SJIII 3219	SJIII 3220	SJIII 3226	SJIII 4626	SJIII 4632

DC ELECTRIC SCISSORS



AIRCRAFT PROTECTION PACKAGE

Designed and built for the aviation industry. The aircraft protection package includes an external rail system that is padded with high density, heavy duty foam to prevent damage from inadvertent contact to delicate structures. The package also features a front access gate with interlock which cuts out all functions to the machine while the gate is opened, allowing personnel to exit the platform without any potential movement.

- Full height spring hinged gate
 - 6 ft. (1.83 m) power deck extension
 - Bumper pads
 - Bumper rails
 - Morton tread plate
 - Modified air-line to platform
 - Spin-off hydraulic filter
 - Extension deck interlock
 - Front access gate with interlock
- Filter fittings on power deck extension hydraulic circuit
 - Base power deck controls (Includes keyless start/base toggle switches)
 - Entry handrails
 - Safety labels
 - Interlock on rear entrance
 - E-Coating on deck only
 - Napa ground strap
 - 35 mph (15 m/s) wind rating

Please note - aircraft protection package includes other listed options as part of the package

Availability	DC Electric Scissors
Models	SJIII 4626

PEAK PERFORMANCE

ROUGH TERRAIN SCISSOR LIFTS

Known as an industry leader in scissor lifts for decades, Skyjack continues to supply its machines with class-leading rough terrain performance. Each product has a standard configuration that can be augmented with additional options that take performance and versatility to peak levels.

INDEPENDENT AUTO-LEVELING OUTRIGGERS

HYBRID POWER PACK

DIESEL SCRUBBER

DUAL ROLL OUT OR POWERED EXTENSION DECKS

HYDRAULIC GENERATOR

AC INVERTER **FLASHING LIGHT**

FULL HEIGHT SPRING HINGED GATES


HIGH CAPACITY BATTERIES

ROUGH TERRAIN SCISSORS

DUAL ROLL OUT OR POWERED EXTENSION DECKS

When additional space is a requirement, Skyjack has got you covered with dual extension deck options.

Availability	Rough Terrain Scissors	Type
Models	SJ8831 RT SJ8841 RT	Roll out
	SJ9250 RT	Powered




Powered extension deck shown

INDEPENDENT AUTO-LEVELING OUTRIGGERS

When the application demands elevating on rough terrain, the auto leveling outrigger system allows the user to raise and automatically level the machine. Each outrigger can be operated independently via manual control if required.

Availability	Rough Terrain Scissors	
Models	SJ6826 RT	SJ6832 RT
	SJ6832 RTE	SJ7127 RT
	SJ7135 RT	SJ8831 RT
	SJ8841 RT	



ROUGH TERRAIN SCISSORS

DIESEL SCRUBBER

When compliance is required with local emission regulations, a scrubber can be added to diesel engines that do not come standard with after treatment. Maintenance free, and easy to install, a diesel scrubber will significantly reduce carbon monoxide, hydrocarbons and exhaust irritants.

Availability	Rough Terrain Scissors	
Models	SJ6826 RT	SJ6832 RT
	SJ7127 RT	SJ7135 RT
	SJ8831 RT	SJ8841 RT
	SJ9250 RT	



HYDRAULIC GENERATOR 3.5 kW

The hydraulic generator supplies power to the platform to run power tools. The generator is activated by the operator in the platform.

Availability	Rough Terrain Scissors	
Models	SJ6826 RT	SJ6832 RT
	SJ7127 RT	SJ7135 RT
	SJ8831 RT	SJ8841 RT
	SJ9250 RT	



HYBRID POWER PACK

Features a gasoline powered generator integrated with the Skyjack controls. The hybrid power pack provides on-board power to re-charge the battery pack, even while the machine is working.


Availability	Rough Terrain Scissors	
Models	SJ6832 RTE	



PROFESSIONAL PRODUCTIVITY

ROUGH TERRAIN SCISSOR LIFTS

For use on compact, mid and full sized rough terrain models and designed to provide the capability to carry out specific tasks, Skyjack has provided a series of factory approved attachments engineered to minimize manual work and deliver increased productivity and improved working practices.



MATERIAL HANDLING STAND
RT HEAVY DUTY PIPE RACK


ROUGH TERRAIN SCISSORS

MATERIAL HANDLING STAND

The material handling stand is a multipurpose attachment. It has the ability to be used as a pipe rack for large duct pipes and other pipe/conduit. It also features a fold down cradle that can be used as a sheet stand for boards and/or panels. Designed for the full size rough terrain scissiors, the material handling stand is mounted on the platform and extension decks while providing ample room to work around. Hard rubber pucks allow the extension decks to extend and retract, with the material handling stand in place, providing a large platform work length of 24 ft (7.21 m).



ROUGH TERRAIN SCISSORS



Availability	Rough Terrain Scissiors		
Model	SJ8831 RT	SJ8841 RT	SJ9250 RT
Rated work load on material handling stand per pair of stands	705 lb (320 kg)		860 lb (390 kg)
Platform total capacity including load on material handling stand	1235 lb (560 kg) 2 Persons		1385 lb (630 kg) 2 Persons

Please note - the maximum allowable sheet material length is 8 ft (2.44 m) with a maximum width of 5 ft (1.52 m) and maximum height of 16 in (40 cm)
the maximum allowable pipe length is 20 ft (6.10 m) with a maximum pipes' diameter of 16 in (40 cm)

ROUGH TERRAIN SCISSORS



ROUGH TERRAIN SCISSORS



RT HEAVY DUTY PIPE RACK

Ideal for HVAC, plumbing and fire sprinkler installation, the heavy duty pipe rack is designed for durability and sturdiness. An added feature on the pipe rack is a spool holder - ideal for cable and wire.

Availability	Rough Terrain Scissors							
Model	SJ6826 RT	SJ6832 RT	SJ6832 RTE	SJ7127 RT	SJ7135 RT	SJ8831 RT	SJ8841 RT	SJ9250 RT
Rated work load on pipe rack	700 lb (318 kg)	350 lb (159 kg)	350 lb (159 kg)	800 lb (363 kg)	400 lb (181 kg)	700 lb (318 kg)	700 lb (318 kg)	850 lb (386 kg)
Platform total capacity including load on pipe rack	1250 lb (567 kg)	900 lb (408 kg)	900 lb (408 kg)	1500 lb (680 kg)	1000 lb (454 kg)	1200 lb (544 kg)	1200 lb (544 kg)	1350 lb (612 kg)
	1 Person	1 Person	1 Person	2 Persons	2 Persons	2 Persons	2 Persons	2 Persons

Please note - the maximum allowable pipe length is 20 ft. (6.10 m) with a maximum pipes' diameter of 16 in. (40 cm)

PEAK PERFORMANCE

TELESCOPIC / ARTICULATING BOOM LIFTS

Skyjack's Telescopic and Articulating Boom Lifts are designed to offer the best possible reach solution, whether it be at height, horizontal reach or up and over clearance. Each product has a standard configuration that can be augmented with additional options that take performance and versatility to new levels.

SECONDARY GUARDING – SGE – ELECTRICAL

AUXILIARY TOP RAIL

SECONDARY GUARDING - SGM – MECHANICAL

HYDRAULIC GENERATOR **AIRLINE TO PLATFORM**

LOCKABLE CONTROL BOX COVER

5 FT or 6 FT PLATFORM

HYDRAULIC OIL COOLER FLASHING LIGHT

SIDE GATE PLATFORM ENTRY

LIFTING LUGS **EXTRA PROPANE TANK AND BRACKET**


TELESCOPIC / ARTICULATING BOOMS

AUXILIARY TOP RAIL

For additional pinch point protection, the auxiliary top rail option provides an extra outer railing easily mounted on top of the existing platform rails.

Availability	Models	
Telescopic Booms	SJ40 T	SJ45 T
	SJ61 T	SJ66 T
	SJ82 T	SJ86 T
Articulating Booms	SJ46 AJ	SJ63 AJ

Please note – Only available on 30 x 72” platform (SJ46 AJ) and 36 x 96” platform (SJ40/45 T, SJ61/66 T, SJ63 AJ, SJ82/86 T)



TELESCOPIC / ARTICULATING BOOMS



SECONDARY GUARDING – SGE - ELECTRONIC

The Skyjack SGE system features a sensor bar that, when pushed, instantly stops all functions and initiates an audible siren and high intensity flashing beacon. If the bar is released within one second the siren and beacon will cease and the selected function will return. If pressure is applied for more than one second the siren and flashing beacon will continue and the engine will stop, halting all functions until reset. The applicable emergency controls can still be operated to bring the platform down to ground safely. If the system is accidentally activated by the operator, it can be easily reset using the illuminated push button on the control box.

Availability	Models	
Telescopic Booms	SJ40 T	SJ45 T
	SJ61 T	SJ66 T
	SJ82 T	SJ86 T
Articulating Booms	SJ46 AJ	SJ63 AJ



SECONDARY GUARDING - SGM – MECHANICAL

The Skyjack SGM system features a protective steel structure that is designed to reduce the possibility of the operator being held against the controls in the event of unintended contact with an obstruction. The system does not impair operator visibility, mobility on the platform or access to the work area.

Availability	Models	
Telescopic Booms	SJ40 T	SJ45 T
	SJ61 T	SJ66 T
	SJ82 T	SJ86 T
Articulating Booms	SJ46 AJ	SJ63 AJ



TELESCOPIC / ARTICULATING BOOMS

HYDRAULIC GENERATOR - 3.5 kW*

The hydraulic generator supplies power to the platform to run power tools. The generator is activated by the operator in the platform.

Availability	Models			
Telescopic Booms	SJ40 T	SJ45 T	SJ61 T	
	SJ66 T	SJ82 T	SJ86 T	
Articulating Booms	SJ46 AJ		SJ63 AJ	

*This option includes the hydraulic oil cooler



AIRLINE TO PLATFORM

A convenient air compressor-ready package for a safe and reliable air power solution. The 1/2" airline runs from turret up the boom to the platform.

Availability	Models			
Telescopic Booms	SJ40 T	SJ45 T	SJ61 T	
	SJ66 T	SJ82 T	SJ86 T	
Articulating Booms	SJ46 AJ		SJ63 AJ	




EXTRA PROPANE TANK AND BRACKET *

Avoid downtime associated with swapping out empty propane tanks with an additionally installed tank.

Availability	Articulating Booms
Models	SJ63 AJ

*Available with the dual fuel engine only



TELESCOPIC / ARTICULATING BOOMS

HYDRAULIC OIL COOLER

Maintain the hydraulic efficiency and hydraulic component life of your machine by selecting a hydraulic oil cooler. Ideal for hot climates or for machines that are running intensive duty cycles.

Availability	Models			
Telescopic Booms	SJ40 T	SJ45 T	SJ61 T	
	SJ66 T	SJ82 T	SJ86 T	
Articulating Booms	SJ46 AJ		SJ63 AJ	



LOCKABLE CONTROL BOX COVER

The all-aluminum lockable control box cover keeps unauthorized users out and protects the controls from various environmental conditions and job site debris.

Availability	Models			
Telescopic Booms	SJ40 T	SJ45 T	SJ61 T	
	SJ66 T	SJ82 T	SJ86 T	
Articulating Booms	SJ46 AJ		SJ63 AJ	



PROFESSIONAL PRODUCTIVITY

TELESCOPIC AND ARTICULATING BOOM LIFTS

Designed to provide the capability to carry out specific tasks, Skyjack has provided a series of factory approved attachments engineered to deliver increased productivity and improved working practices.



GLAZIER KIT
WELDER PACKAGE **WELDER READY PACKAGE**
BOOM PIPE RACK
PLATFORM WORK LIGHTS

TELESCOPIC / ARTICULATING BOOMS

GLAZIER KIT

The glazier kit provides easy handling and reduced manual work for carrying material to height. The glazier kit's rated capacity can support up to 250 lbs. The glazier kit is supported with a padded tray, foam padding and a nylon strap.

Availability	Articulating Booms	
Model	SJ46 AJ	SJ63 AJ
Rated work load on panel cradle	210 lb (95 kg)	
Total rated work load including load on panel cradle	460 lb (209 kg) 1 Person (2 persons if no load on panel cradle)	
Maximum wind speed	28 mph (12.5 m/s)	

Maximum allowable load dimensions are 4 ft (1.2 m) x 8 ft (2.5m)



Availability	Telescopic Booms					
Model	SJ40 T	SJ45 T	SJ61 T	SJ66 T	SJ82 T	SJ86 T
Rated work load on panel cradle	250 lb (113 kg)	210 lb (95 kg)				
Total rated work load including load on panel cradle	610 lb (277 kg)	460 lb (209 kg)	Restricted		Restricted	
	1 Person (2 persons if load is <150 lb (68 kg) on panel cradle)	1 Person (2 persons if no load on panel cradle)	460 lb (209 kg) 1 Person (2 persons if no load on panel cradle)		460 lb (209 kg) 1 Person (2 persons if no load on panel cradle)	
			Unrestricted		Unrestricted	
			960 lb (435 kg) 2 Persons		710 lb (322 kg) 2 Persons	
Maximum wind speed	28 mph (12.5 m/s)					

Maximum allowable load dimensions are 4 ft (1.2 m) x 8 ft (2.5m)

TELESCOPIC / ARTICULATING BOOMS

BOOM PIPE RACK

The pipe rack is designed to make it easier for plumbers, electricians and maintenance workers to carry pipes or conduit to height without sacrificing work space. The pipe rack is rail mounted on the front of the platform making it convenient for loading and unloading materials.



Availability	Articulating Booms		Telescopic Booms					
Model	SJ46 AJ	SJ63 AJ	SJ40 T	SJ45 T	SJ61 T	SJ66 T	SJ82 T	SJ86 T
Rated work load on pipe rack per pair of supports	235 lb (107 kg)							
Platform capacity including load on pipe rack	485 lb (220 kg) 1 Person							
Maximum wind speed	28 mph (12.5 m/s)							

Pipe size cannot exceed 23 ft (7 m) long by 4 in (10 cm) diameter

TELESCOPIC / ARTICULATING BOOMS

PLATFORM WORK LIGHTS

Ideal for any work applications involving low light conditions, the platform work light option includes two LED lights that can be repositioned in any corner of the basket.

Availability	Telescopic Booms		Articulating Booms	
Models	SJ40 T	SJ45 T	SJ46 AJ	SJ63 AJ
	SJ61 T	SJ66 T		
	SJ82 T	SJ86 T		



WELDER PACKAGES

Maximize productivity and power with the hydraulic driven 12 kW generator option for your welding and cutting needs. The welder package includes an actual welder, while the welder ready option features a mounting bracket for a separately supplied welder.

WELDER READY PACKAGE

- 12 kW generator
- Hydraulic oil cooler
- 3-Phase power connection in platform
- Welder mount

WELDER PACKAGE

- Includes welder ready package plus the addition of a Lincoln V275-S welder

Availability	Telescopic Booms		Articulating Booms	
Models	SJ40 T	SJ45 T	SJ46 AJ	SJ63 AJ
	SJ61 T	SJ66 T		
	SJ82 T	SJ86 T		



DEDICATED APPLICATIONS

ROUGH TERRAIN SCISSORS / TELESCOPIC /
ARTICULATING BOOMS

A series of packaged options and accessories combined to produce solutions for specific applications. Skyjack's application packages represent a whole that is greater than a sum of its parts providing solutions based on job or environmental requirements.



HOSTILE ENVIRONMENT PACKAGE

ARCTIC WEATHER PACKAGE

POSITIVE AIR SHUT OFF VALVE

COLD WEATHER START KIT

ROUGH TERRAIN SCISSORS / TELESCOPIC / ARTICULATING BOOMS

HOSTILE ENVIRONMENT PACKAGE

Protect your investment with the hostile environment package. Abrasive job site conditions can cause loose debris such as dust, sand or other fine particles that could wreak havoc on your machines. The hostile environment package is equipped to protect the important components such as the control box, cylinders and boom sections.

- Cylinder bellows
- Boom wipers
- Covers for fly boom cutouts
- Control box cover

Availability	Telescopic Booms		Articulating Booms
Models	SJ82 T	SJ86 T	SJ63 AJ



POSITIVE AIR SHUT OFF VALVE

For diesel powered machines operating in environments where they will be exposed to flammable gases or vapors that may act as a secondary fuel supply, the positive air shutoff valve will prevent runaway engine situations by automatically stopping the engine. This “positive” stop will prevent unnecessary engine wear and damage, as well as the potential for flashback.

Ideal for the following type of job sites and applications;

- Oil refineries
- Offshore oil platforms
- Gas plants
- Coal mines
- Pipeline work
- Fire fighting
- Power generation

Availability	Models					
Rough Terrain Scissors	SJ6826 RT	SJ6832 RT	SJ7127 RT	SJ7135 RT		
	SJ8831 RT	SJ8841 RT	SJ9250 RT			
Telescopic Booms	SJ40 T	SJ45 T	SJ61 T	SJ66 T	SJ82 T	SJ86 T
Articulating Booms	SJ46 AJ		SJ63 AJ			



ROUGH TERRAIN SCISSORS / TELESCOPIC / ARTICULATING BOOM LIFTS

COLD WEATHER START KIT

Be winter ready with the cold weather start kit.

Availability	Models		Included Option
Rough Terrain Scissors	SJ6826 RT	SJ6832 RT	■ Hydraulic oil tank heater ■ Battery blanket ■ Coolant or block heater
	SJ7127 RT	SJ7135 RT	
	SJ8831 RT	SJ8841 RT	
	SJ9250 RT		
Telescopic Booms	SJ40 T	SJ45 T	■ Cold start engine oil ■ Battery blanket ■ Hydraulic oil tank heater
	SJ61 T	SJ66 T	
	SJ82 T	SJ86 T	
Articulating Booms	SJ46 AJ	SJ63 AJ	

ARCTIC WEATHER PACKAGE

For extreme temperature conditions, the arctic weather package includes arctic engine oil, battery blanket, hydraulic tank heater, block heater, arctic hydraulic oil, arctic platform rotator and arctic gear oil in the axles and swing drive.

- Arctic engine oil
- Battery blanket
- Hydraulic tank heater
- Block heater
- Arctic hydraulic oil
- Arctic gear oil in axles & swing drive
- Glow plugs



Availability	Models					
Telescopic Booms	SJ40 T	SJ45 T	SJ61 T	SJ66 T	SJ82 T	SJ86 T
Articulating Booms	SJ46 AJ		SJ63 AJ			



ROUGH TERRAIN SCISSORS / TELESCOPIC /
ARTICULATING BOOM LIFTS

TIRE OPTIONS

Terrainability, traction, durability and comfort can all be impacted by the type of tire installed on your machine. No matter what landscape (mud, sand, grass, slab) Skyjack has suitable tires to meet your needs.

NON MARKING TIRES - GRIP LUG AIR FILLED OR FOAM FILLED

Greater machine flexibility can be achieved through the use of non-marking foam filled tires - extending machine use to both indoor or outdoor applications. Still not sacrificing the rough terrain characteristics, the non-marking tires eliminate markings for clean surface applications.

AIR FILLED

ROUGH TERRAIN SCISSORS



Models	
SJ7127 RT	SJ7135 RT
SJ8831 RT	SJ8841 RT
SJ9250 RT	

FOAM FILLED

ROUGH TERRAIN SCISSORS



Models	
SJ6826 RT	SJ6832 RT

TELESCOPIC BOOMS



Models	
SJ82 T	SJ86 T

ARTICULATING BOOMS



Models	
SJ46 AJ	SJ63 AJ

ROUGH TERRAIN SCISSORS / TELESCOPIC /
ARTICULATING BOOM LIFTS

GRIP LUG AIR FILLED TIRES

The grip lug air-filled tires provide excellent traction, smooth and comfortable drive in any low traction applications.

AIR FILLED

ROUGH TERRAIN SCISSORS



Models	
SJ6826 RT	

GRIP LUG FOAM FILLED TIRES

Reduce the possibility of deflation with the grip lug foam-filled tires.

FOAM FILLED

ROUGH TERRAIN SCISSORS



Models	
SJ7127 RT	SJ7135 RT
SJ8831 RT	SJ8841 RT
SJ9250 RT	

TELESCOPIC BOOMS



Models	
SJ40 T	SJ45 T
SJ61 T	SJ66 T

ARTICULATING BOOMS



Models	
SJ46 AJ	SJ63 AJ

ROUGH TERRAIN SCISSORS / TELESCOPIC /
ARTICULATING BOOM LIFTS

HIGH FLOTATION AIR FILLED TIRES

The high flotation air-filled tires are ideal for driving on soft terrain such as grass or sand while providing full control and traction.

AIR FILLED

ROUGH TERRAIN SCISSORS



Models	
SJ7127 RT	SJ7135 RT
SJ8831 RT	SJ8841 RT

TELESCOPIC BOOMS



Models	
SJ61 T	SJ66 T



Models	
SJ40 T	SJ45 T

ARTICULATING BOOMS



Models	
SJ46 AJ	SJ63 AJ

Please note - High flotation type tires reduce platform capacity:
900 lb (408 kg) on SJ7135 RT
1,700 lb (771 kg) on SJ8831 RT
1,250 lb (567 kg) on SJ8841 RT

A close-up photograph of the rear of an orange Skyjack 4X4 rough terrain scissor lift. The lift is positioned on a light-colored gravel surface. The large, black, treaded tires are prominent in the foreground. The orange body of the lift features the 'SKYJACK' logo in large, raised letters. A grey panel on the side of the lift displays '4X4' in white. The mechanical components of the scissor lift are visible, showing the hydraulic cylinders and the platform structure.

GENERAL

NON-DESTRUCTIVE TESTING

A third-party inspection will verify machine integrity using non-destructive testing methods. Inspection testing will not cause any damage or impact machine reliability. Upon completion, the inspecting company will provide an inspection sticker on the machine.

Availability	Vertical Mast	DC Electric Scissors	Rough Terrain Scissors	Telescopic Booms	Articulating Booms
Models	SJ12	SJIII 3215	SJ6826 RT	SJ40 T	SJ46 AJ
	SJ16	SJIII 3219	SJ6832 RT	SJ45 T	SJ63 AJ
		SJIII 3220	SJ6832 RTE	SJ61 T	
		SJIII 3226	SJ7127 RT	SJ66 T	
		SJIII 4626	SJ7135 RT	SJ82 T	
		SJIII 4632	SJ8831 RT	SJ86 T	
		SJIII 4740	SJ8841 RT		
			SJ9250 RT		

EXTENDED WARRANTIES

Skyjack were the first manufacturer of aerial work platforms to offer a 2 year (3,000 hours) “bumper to bumper” (full) warranty. Now Skyjack offers optional 3 year (4,000 hours) and 5 year (5,000 hours) “bumper to bumper” warranties.

Availability	Vertical Mast	DC Electric Scissors	Rough Terrain Scissors	Telescopic Booms	Articulating Booms
Models	SJ12	SJIII 3215	SJ6826 RT	SJ40 T	SJ46 AJ
	SJ16	SJIII 3219	SJ6832 RT	SJ45 T	SJ63 AJ
		SJIII 3220	SJ6832 RTE	SJ61 T	
		SJIII 3226	SJ7127 RT	SJ66 T	
		SJIII 4626	SJ7135 RT	SJ82 T	
		SJIII 4632	SJ8831 RT	SJ86 T	
		SJIII 4740	SJ8841 RT		
			SJ9250 RT		



AVAILABLE OPTIONS SUMMARY

VERTICAL MAST LIFTS	SJ12	SJ16
Peak Performance		
Dual flashing lights		
AC inverter		
AGM batteries		
Full height spring hinged gate		
Saloon gate		
Bio oil		
Professional Productivity		
Tool tray		
Fluorescent tube carrier		
Light duty pipe and steel stud rack		
General		
Non destructive testing		
Extended warranties (3 or 5 years)		

DC ELECTRIC SCISSOR LIFTS	SJIII 3215	SJIII 3219	SJIII 3220	SJIII 3226	SJIII 4626	SJIII 4632	SJIII 4740
Peak Performance							
Flashing light							
Dual flashing light							
Extended control box cable							
AC inverter							
High capacity batteries							
AGM batteries							
Hinged railing system							
Full height spring hinged gate							
Half height spring hinged gate							
Powered extension deck							
Professional Productivity							
Light duty pipe and steel stud rack							
Heavy duty pipe rack							
Board/drywall carrier							
Dedicated Applications							
EE rating package							
Aircraft protection package							
General							
Non destructive testing							
Extended warranties (3 or 5 years)							

LEGEND

- DIRECT FACTORY OPTION
- DIRECT FACTORY / AFTERMARKET
- STANDARD

AVAILABLE OPTIONS SUMMARY

ROUGH TERRAIN ELECTRIC SCISSOR LIFTS	SJ6832 RTE
Peak Performance	
Independent/auto leveling outriggers	
Hybrid power pack	
Flashing lights	
AC Inverter	
High capacity batteries	
Professional Productivity	
RT Heavy duty pipe rack	
General	
Non destructive testing	
Extended warranties (3 or 5 years)	

ROUGH TERRAIN SCISSOR LIFTS	SJ6826 RT	SJ6832 RT	SJ7127 RT	SJ7135 RT	SJ8831 RT	SJ8841 RT	SJ9250 RT
Peak Performance							
Dual 4 ft (1.22 m) roll out extension decks							
Dual 5 ft (1.52 m) powered extension decks							
Independent/auto leveling outriggers							
Diesel scrubber							
Hydraulic generator							
Flashing lights							
Full height spring hinged gates							
Professional Productivity							
RT Heavy duty pipe rack							
Material handling stand							
Dedicated Applications							
Positive air shutoff valve							
Cold weather start kit							
Tire Options							
Grip lug air filled tires							
Grip lug foam filled tires							
High flotation air filled tires							
Non marking grip lug air filled tires							
Non marking grip lug foam filled tires							
General							
Non destructive testing							
Extended warranties (3 or 5 years)							

AVAILABLE OPTIONS SUMMARY

LEGEND

DIRECT FACTORY OPTION

DIRECT FACTORY / AFTER MARKET

STANDARD

TELESCOPIC BOOM LIFTS	SJ40 T	SJ45 T	SJ61 T	SJ66 T	SJ82 T	SJ86 T
Peak Performance						
Auxiliary top rail						
36" (0.91 m) x 72" (1.83 m) platform						
Secondary guarding - SGE electrical						
Secondary guarding - SGM mechanical						
Hydraulic generator						
Airline to platform						
Hydraulic oil cooler						
Lockable control box cover						
Flashing light						
Side gate platform entry						
Lifting lugs						
Professional Productivity						
Glazier kit						
Pipe rack						
Platform work lights						
Welder package						
Welder ready						
Dedicated Applications						
Hostile environment package						
Positive air shutoff valve						
Cold weather start kit						
Arctic weather package						
Tire Options						
Grip lug foam tires						
High flotation air filled tires						
Non marking grip lug foam filled tires						
General						
Non destructive testing						
Extended warranties (3 or 5 years)						

AVAILABLE OPTIONS SUMMARY

ARTICULATING BOOM LIFTS	SJ46 AJ	SJ63 AJ
Peak Performance		
Auxiliary top rail		
36" (0.91 m) x 96" (2.44 m) platform		
30" (0.76 m) x 60" (1.52 m) platform		
Secondary guarding - SGE electrical		
Secondary guarding - SGM mechanical		
Hydraulic generator		
Airline to platform		
Extra propane tank and bracket		
Hydraulic oil cooler		
Lockable control box cover		
Flashing light		
Side gate platform entry		
Professional Productivity		
Glazier kit		
Pipe rack		
Platform work lights		
Welder package		
Welder ready		
Dedicated Applications		
Hostile environment package		
Positive air shutoff valve		
Cold weather start kit		
Arctic weather package		
Tire Options		
Grip lug foam filled tires		
High flotation air filled tires		
Non marking grip lug air filled tires		
Non marking grip lug foam filled tires		
General		
Non destructive testing		
Extended warranties		